


Igloo
422-037



Cafe Au Lait
422-007




Almond
422-017




Stone
422-027




Saffron
422-002



Dove
422-026




Mandarin
422-009




Turquoise
422-034




Citrine
422-023



Iron
422-036



Brick
422-019




Ocean
422-044




Spring
422-003



Charcoal
422-016



Lipstick
422-001




Caribbean
422-024




Emerald
422-013




Onyx
422-006



Beet
422-008



Indigo
422-004




Pine
422-033




Espresso
422-000



Magenta
422-005



Electric
422-014



Bottle
422-043

Application
Upholstery Seating

Content
100% Recycled Polyester

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 130,000 Double Rubs

Finish
Stain Repellent

Reduced Environmental Impact
GREENGUARD Gold Certified

Eco-System[®]
Sustainable. Attainable at Mayer Fabrics.

TECHNICAL INFORMATIONContent: **100% Post-Consumer Recycled Polyester**

Width: 54"

Backing: Latex

Approx. Repeat: 0.50" H, 0.59" V

Weight: 15 oz./linear yard

Finish: Stain Repellent

Directional: Yes

Railroaded: No

PERFORMANCESurface Abrasion: Heavy Duty ASTM D 4157
(Wyzenbeek/Cotton Duck)

Pilling Resistance ASTM D 3511

Colorfastness to Crocking AATCC 8

Colorfastness to Light AATCC 16E

Results

Passes 130,000 Double Rubs

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Class 4

Dry: Class 4 / Wet: Class 4

Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

ASTM E84 (Unadhered) Class 1 or A

May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT**This product is GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.**

Sustainable. Attainable at Mayer Fabrics.

The Eco-System icon indicates 100% recycled content.

CLEANING INFORMATION

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION**Custom Capabilities:** All patterns can be custom colored. Minimum yardage applies.**Specifications:** Specifications are correct at the time of printing. Current specifications are available on our website.**Digital Swatch Card Color Matching:** Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.This fabric meets or exceeds these ACT performance guidelines.
*Certification Marks owned by ACT®

Water and Stain Repellent Finish



This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.



MAYERFABRICS





621-007
Winter



621-046
Light Grey



621-056
Dew



621-036
Dapper



621-017
Fawn



621-002
Topaz



621-013
Citron



621-023
Eucalyptus



621-033
Opal



621-003
Cactus




621-019
Tangelo



621-011
Tomato



621-001
Ruby



621-009
Persimmon



621-008
Plum



621-043
Aquamarine



621-053
Aegean



621-014
Indigo



621-005
Purple



621-004
Midnight



621-000
Mink



621-026
Pewter



621-016
Charcoal



621-010
Espresso



621-006
Bitumen

Application
Multi-purpose for upholstery,
panels and wrapped walls

Content
100% Polyester

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 100,000 Double Rubs

Finish
Stain Repellent – PFOA Free

Reduced Environmental Impact
GREENGUARD Certified

TECHNICAL INFORMATION

Content: 100% Polyester

Width: 54"

Backing: 100% Polyester Knit

Approx. Repeat: None

Weight: 15 oz./linear yard

Finish: Stain Repellent – PFOA Free

Directional: Yes

Railroaded: No

PERFORMANCE

Surface Abrasion: Heavy Duty ASTM D 4157
(Wyzenbeek/Cotton Duck)

Pilling Resistance ASTM D 3511

Colorfastness to Crocking AATCC-8

Colorfastness to Light AATCC 16

Results

Passes 100,000 Double Rubs

Class 5

Dry: Class 4 min / Wet: Class 4 min

Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

ASTM E84 (Unadhered) Class 1 or A

May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

This product is **GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification.** For complete information visit mayerfabrics.com and UL.com/gg.

CLEANING INFORMATION

W: Water-Based Cleaner

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.



This fabric meets or exceeds these ACT performance guidelines.
*Certification Marks owned by ACT®



Water and Stain
Repellent Finish



MAYERFABRICS




Seal
350-047



Buckskin
350-027



Celery
350-113



Poppy
350-041



Jodhpurs
350-017



Bark
350-020



Apple Green
350-023




Mocha
350-030



Chocolate
350-000



Grass
350-103




Ochre
350-032




Rouge
350-031




Silver
350-036



Parade Blue
350-034



Peacock
350-043



Marmalade
350-049




Flame
350-011




Mercury
350-016



Sapphire
350-004




Ocean
350-064



Tangelo
350-039



Wine
350-001




Graphite
350-026



Blue Mist
350-024



Aegean
350-053



Terra Cotta
350-019




Merlot
350-008



Ebony
350-006



Navy
350-014



Capri
350-044



Cayenne
350-009



Concord
350-005

Application
Upholstery Seating

Content
100% Recycled Polyester

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 1,000,000 Double Rubs

Finish
Stain Repellent

Reduced Environmental Impact
GREENGUARD Gold Certified



TECHNICAL INFORMATION

Content: **100% Recycled Polyester (65% Pre-/35% Post-Consumer)**

Width: 54"

Weight: 13 oz./linear yard

Backing: None

Finish: Stain Repellent

Approx. Repeat: None

Directional: No

Railroaded: No

PERFORMANCE

Surface Abrasion: Heavy Duty ASTM D 3597
(Wyzenbeek/Cotton Duck)

Results

Passes 1,000,000 Double Rubs
Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Pilling Resistance ASTM D 3511

Class 4

Colorfastness to Crocking AATCC 8

Dry: Class 4 min / Wet: Class 4

Colorfastness to Light AATCC 16E

Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

ASTME84 (Unadhered) Class 1 or A

May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

This product is **GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification.** For complete information visit mayerfabrics.com and UL.com/gg.



The Eco-System icon indicates 100% recycled content.

TEN YEAR WARRANTY

FOUNDATION10 is covered by a 10-year limited performance warranty from the date of installation, when used for seating applications. FOUNDATION10 is warranted against wear through (i.e. the complete deterioration of the fabric's structure in a particular area) if properly installed and maintained. This warranty does not cover damage due to abuse, misuse, vandalism, inadequate padding or abrasion from other seating components or furniture, use of improper cleaning agents or methods and use subsequent to ownership by the original purchaser. Mayer Fabrics can provide a copy of the manufacturer's warranty.

If FOUNDATION10 fails to perform during the 10-year warranty period, the affected area of fabric will be repaired or replaced including labor and materials upon written request of the customer.

Except as expressly provided herein, Mayer Fabrics makes no representations or warranties, express or implied, including, without limitation, any warranty of merchantability or fitness of its products for any particular purpose, and hereby disclaim the same.

CLEANING INFORMATION

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.



This fabric meets or exceeds these ACT performance guidelines.
Certification Marks owned by ACT




This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.



Water and Stain Repellent Finish




MAYERFABRICS




Yale
424-004




Fieldstone
424-017




Mushroom
424-007




Green Apple
424-013



Elephant
424-026



Tangerine
424-019



Springtime
424-023

Application
Upholstery Seating

Content
83% Recycled Polyester,
17% Polyester

Width
54 inches


Abrasion (Wyzenbeek/Cotton Duck)
Passes 185,000 Double Rubs

Finish
Stain Repellent


Reduced Environmental Impact
GREENGUARD Gold Certified




Coal
424-016




Sunrise
424-009




Myrtle
424-033




Ash
424-006




Red
424-001




Ocean
424-024



Brown Bear
424-000



Mulberry
424-005



Yale
424-004

TECHNICAL INFORMATIONContent: **83% Post-Consumer Recycled Polyester**, 17% Polyester

Width: 54"

Weight: 16.5 oz./linear yard

Backing: Latex

Finish: Stain Repellent

Approx. Repeat: 0.33" H, 0.20" V

Directional: Yes

Railroaded: No

PERFORMANCESurface Abrasion: Heavy Duty ASTM D 4157
(Wyzenbeek/Cotton Duck)**Results**

Passes 185,000 Double Rubs Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Pilling Resistance ASTM D 3511

Class 4

Colorfastness to Crocking AATCC 8

Dry: Class 4 / Wet: Class 4

Colorfastness to Light AATCC 16E

Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

ASTM E84 (Unadhered) Class 1 or A

May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT**This product is GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.****CLEANING INFORMATION**

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION**Custom Capabilities:** All patterns can be custom colored. Minimum yardage applies.**Specifications:** Specifications are correct at the time of printing. Current specifications are available on our website.**Digital Swatch Card Color Matching:** Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.This fabric meets or exceeds these ACT performance guidelines.
*Certification Marks owned by ACT®Water and Stain
Repellent Finish

This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.


**MAYER**FABRICS



Zinc
426-027



Cafe Au Lait
426-007



Indigo
426-004




Alabaster
426-037




Espresso
426-000



Stone
426-017



Topaz
426-002



Cornflower
426-014



Cerulean
426-034




Mocha
426-010



Caramel
426-012



Plum
426-005



Caribbean
426-024



Dove
426-026



Clay
426-019




Raisin
426-008



Olive
426-013



Charcoal
426-016



Clementine
426-009




Claret
426-011



Kale
426-003



Onyx
426-006



Tomato
426-021



Lipstick
426-001



Asparagus
426-023

Application
Upholstery Seating

Content
75% Recycled Polyester,
25% Polyester

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 105,000 Double Rubs

Finish
Stain Repellent

Reduced Environmental Impact
GREENGUARD Gold Certified

TECHNICAL INFORMATION

Content: **75% Post-Consumer Recycled Polyester**, 25% Polyester
 Width: 54"
 Backing: Latex
 Approx. Repeat: 0.17" H, 0.20" V

Weight: 14.5 oz./linear yard
 Finish: Stain Repellent
 Directional: Yes
 Railroaded: No

PERFORMANCE

Surface Abrasion: Heavy Duty ASTM D 4157
 (Wyzenbeek/Cotton Duck)
 Pilling Resistance ASTM D 3511
 Colorfastness to Crocking AATCC 8
 Colorfastness to Light AATCC 16E

Results

Passes 105,000 Double Rubs
 Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.
 Class 4
 Dry: Class 4 / Wet: Class 4
 Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013
 NFPA 260/UFAC Class 1
 ASTM E84 (Unadhered) Class 1 or A
 May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

This product is **GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification.** For complete information visit mayerfabrics.com and UL.com/gg.

CLEANING INFORMATION

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.
Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.
Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.



This fabric meets or exceeds these ACT performance guidelines. *Certification Marks owned by ACT®



Water and Stain Repellent Finish



This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.



MAYERFABRICS



SPECTRUM COLLECTION





THEORY
423-037 Alabaster



CONTINUUM
422-026 Dove



THEORY
423-016 Charcoal



THEORY
423-017 Stone



CONTINUUM
422-002 Saffron



VARIANT
425-019 Orange Peel



PRISM
426-027 Zinc



PRISM
426-026 Dove



CONTINUUM
422-036 Iron



CONTINUUM
422-027 Stone




PRISM
426-002 Topaz



CONTINUUM
422-009 Mandarin



THEORY
423-026 Dove



VARIANT
425-016 Flint



PRISM
426-016 Charcoal



PRISM
426-017 Stone



VARIANT
425-002 Mustard



OPTIC
424-009 Sunrise



VARIANT
425-017 Creme



OPTIC
424-026 Elephant



OPTIC
424-006 Ash



THEORY
423-010 Mocha



OPTIC
424-019 Tangerine



THEORY
423-009 Mango



CONTINUUM
422-017 Almond



VARIANT
425-026 Aluminum



VARIANT
425-006 Carbon



PRISM
426-010 Mocha



CONTINUUM
422-007 Cafe Au Lait



PRISM
426-021 Tomato



VARIANT
425-007 Biscuit



CONTINUUM
422-016 Charcoal



CONTINUUM
422-006 Onyx



VARIANT
425-000 Chocolate



THEORY
423-007 Cafe Au Lait



CONTINUUM
422-019 Brick



OPTIC
424-017 Fieldstone



OPTIC
424-016 Coal



THEORY
423-006 Onyx



CONTINUUM
422-000 Espresso



VARIANT
425-010 Cocoa



PRISM
426-019 Clay



OPTIC
424-007 Mushroom



PRISM
426-006 Onyx



OPTIC
424-000 Brown Bear



THEORY
423-000 Espresso



PRISM
426-007 Cafe Au Lait



THEORY
423-019 Tobacco

Additional colors are available. Please refer to the [Mayer Fabrics website](https://www.mayerfabrics.com).



VARIANT
425-009 Persimmon




THEORY
423-011 Rouge




THEORY
423-024 Slate



PRISM
426-034 Cerulean



CONTINUUM
422-023 Citrine



VARIANT
425-013 Jungle



PRISM
426-009 Clementine



VARIANT
425-005 Aubergine



VARIANT
425-004 Ink



THEORY
423-044 Teal



OPTIC
424-013 Green Apple



PRISM
426-003 Kale




PRISM
426-011 Claret



THEORY
423-008 Port



THEORY
423-014 Indigo



VARIANT
425-014 Prussian



CONTINUUM
422-003 Spring




THEORY
423-003 Grass




VARIANT
425-001 Barn Red



CONTINUUM
422-008 Beet



OPTIC
424-004 Yale



CONTINUUM
422-044 Ocean



OPTIC
424-023 Springtime




PRISM
426-013 Olive



OPTIC
424-001 Red




CONTINUUM
422-005 Magenta



CONTINUUM
422-014 Electric



THEORY
423-034 Peacock



CONTINUUM
422-013 Emerald



THEORY
423-023 Grove




CONTINUUM
422-001 Lipstick




THEORY
423-015 Raspberry



CONTINUUM
422-004 Indigo



OPTIC
424-024 Ocean




CONTINUUM
422-033 Pine




PRISM
426-023 Asparagus



THEORY
423-001 Lipstick




THEORY
423-005 Aubergine



PRISM
426-004 Indigo



PRISM
426-024 Caribbean



OPTIC
424-033 Myrtle



CONTINUUM
422-043 Bottle




PRISM
426-001 Lipstick




PRISM
426-005 Plum



THEORY
423-004 Navy



CONTINUUM
422-024 Caribbean



CONTINUUM
422-034 Turquoise



THEORY
423-013 Evergreen

Additional colors are available. Please refer to the Mayer Fabrics website.

TECHNICAL INFORMATION

Spectrum Collection

Pattern 54"	Content and Backing	Certifications	Weight/ Linear Yd.	Pattern Repeat	Finish	Abrasion Wyzenbeek	Light- Fastness	Flammability	Cleaning Code
CONTINUUM <i>Directional</i>	100% Post-Consumer Recycled Polyester Backing: Latex	GREENGUARD Gold	15 oz.	0.50" H, 0.59" V	Stain Repellent	130,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Unadhered) Class 1 or A	WS
OPTIC <i>Directional</i>	83% Post-Consumer Recycled Polyester 17% Polyester Backing: Latex	GREENGUARD Gold	16.5 oz.	0.33" H, 0.20" V	Stain Repellent	185,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Unadhered) Class 1 or A	WS
PRISM <i>Directional</i>	75% Post-Consumer Recycled Polyester 25% Polyester Backing: Latex	GREENGUARD Gold	14.5 oz.	0.17" H, 0.20" V	Stain Repellent	105,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Unadhered) Class 1 or A	WS
THEORY <i>Directional</i>	75% Post-Consumer Recycled Polyester 25% Polyester Backing: Latex	GREENGUARD Gold	14.5 oz.	0.17" H, 0.39" V	Stain Repellent	150,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Unadhered) Class 1 or A	WS
VARIANT <i>Directional</i>	75% Post-Consumer Recycled Polyester 25% Polyester Backing: Latex	GREENGUARD Gold	14.5 oz.	0.17" H, 0.20" V	Stain Repellent	140,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Unadhered) Class 1 or A	WS

REDUCED ENVIRONMENTAL IMPACT

These products are GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.

Continuum



Eco-System®

Sustainable. Attainable at Mayer Fabrics.

The Eco-System icon indicates 100% recycled content.

CARE AND CLEANING INFORMATION

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION

CAL TB 133: All patterns may comply with California Technical Bulletin 133 when combined with appropriate components.

^Abrasion: Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Additional specifications are available on our website.



These fabrics meet or exceed these ACT performance guidelines.
*Certification Marks owned by ACT®



Water and Stain
Repellent Finish



This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.




MAYERFABRICS



Alabaster
423-037



Cafe Au Lait
423-007



Dove
423-026




Zinc
423-027



Banana
423-002



Stone
423-017



Tobacco
423-019




Slate
423-024



Teal
423-044



Mocha
423-010




Mango
423-009




Indigo
423-014



Peacock
423-034



Charcoal
423-016



Lipstick
423-001



Navy
423-004



Grass
423-003




Onyx
423-006



Rouge
423-011



Aubergine
423-005




Grove
423-023



Espresso
423-000



Port
423-008



Raspberry
423-015



Evergreen
423-013

Application
Upholstery Seating

Content
75% Recycled Polyester,
25% Polyester

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 150,000 Double Rubs

Finish
Stain Repellent

Reduced Environmental Impact
GREENGUARD Gold Certified

TECHNICAL INFORMATION

Content: **75% Post-Consumer Recycled Polyester**, 25% Polyester

Width: 54"

Weight: 14.5 oz./linear yard

Backing: Latex

Finish: Stain Repellent

Approx. Repeat: 0.17" H, 0.39" V

Directional: Yes

Railroaded: No

PERFORMANCE

Surface Abrasion: Heavy Duty ASTM D 4157
(Wyzenbeek/Cotton Duck)

Results

Passes 150,000 Double Rubs Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Pilling Resistance ASTM D 3511

Class 4

Colorfastness to Crocking AATCC 8

Dry: Class 4 / Wet: Class 4

Colorfastness to Light AATCC 16E

Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

ASTM E84 (Unadhered) Class 1 or A

May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

This product is GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.

CLEANING INFORMATION

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.



This fabric meets or exceeds these ACT performance guidelines.
*Certification Marks owned by ACT®




Water and Stain
Repellent Finish



This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.



MAYERFABRICS




Palm
425-003



Creme
425-017



Biscuit
425-007




Jungle
425-013



Aluminum
425-026



Cocoa
425-010



Prussian
425-014

Application
Upholstery Seating


Content
75% Recycled Polyester,
25% Polyester

Width
54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 140,000 Double Rubs

Finish
Stain Repellent


Reduced Environmental Impact
GREENGUARD Gold Certified



Flint
425-016




Mustard
425-002




Ink
425-004



Carbon
425-006



Orange Peel
425-019



Aubergine
425-005



Chocolate
425-000



Persimmon
425-009



Barn Red
425-001

TECHNICAL INFORMATION

Content: **75% Post-Consumer Recycled Polyester**, 25% Polyester
 Width: 54"
 Backing: Latex
 Approx. Repeat: 0.17" H, 0.20" V

Weight: 14.5 oz./linear yard
 Finish: Stain Repellent
 Directional: Yes
 Railroaded: No

PERFORMANCE

Surface Abrasion: Heavy Duty ASTM D 4157
 (Wyzenbeek/Cotton Duck)
 Pilling Resistance ASTM D 3511
 Colorfastness to Crocking AATCC 8
 Colorfastness to Light AATCC 16E

Results

Passes 140,000 Double Rubs
 Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.
 Class 4
 Dry: Class 4 / Wet: Class 4
 Class 4 at 40 hours

FLAMMABILITY

California Technical Bulletin 117-2013
 NFPA 260/UFAC Class 1
 ASTM E84 (Unadhered) Class 1 or A
 May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

This product is **GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification.** For complete information visit mayerfabrics.com and UL.com/gg.

CLEANING INFORMATION

WS: Water/Solvent Cleaner

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.
Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.
Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.



This fabric meets or exceeds these ACT performance guidelines.
 *Certification Marks owned by ACT®



Water and Stain Repellent Finish



This 100% polyester fabric is included in the Underwriter's Laboratory Fabric Recognition Program. Additional testing of this U.L. recognized component is not required on approved panels from participating manufacturers.



MAYERFABRICS

